

L Number	Hits	Search Text	DB	Time stamp
-	5	(francesco near2 lazzeri).inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:43
-	5	713/1\$.ccls. and sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:46
-	18	713/1\$.ccls. and fault near3 protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:49
-	10	713/1\$.ccls. and "1:N"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:50
-	2063	"1:N" or "1:n" same protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:51
-	2063	"1:N" or "1:n" near8 protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:51
-	21	("1:N" or "1:n" near8 protect\$3) and (fault near3 tolerant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:08
-	393	(fault near3 tolerant) and switch\$3 near3 (backup or redundant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:12
-	0	((fault near3 tolerant) and switch\$3 near3 (backup or redundant) ) and mirror near3 (configuration or setup) near3 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:13
-	87	((fault near3 tolerant) and switch\$3 near3 (backup or redundant) ) and (configuration or setup) near3 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:13
-	479	(backup or redundant) near8 configuration near3 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:37
-	55	(fault near3 tolerant) and ((backup or redundant) near8 configuration near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:29
-	14	(backup or redundant) near8 configuration near3 data near3 "same"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:38

-	9386	fault near3 tolerant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:23
-	86	((fault near3 tolerant ) and sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:23
-	64	((fault near3 tolerant ) and sdh) and (protection or backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:25
-	0	((fault near3 tolerant ) and sdh) and (protection or backup) with take\$1over	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:25
-	30	((fault near3 tolerant ) and sdh) and (protection or backup) with priority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:34
-	28	(fault near3 tolerant ) and (backup or redundant) near8 priority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:25
-	583	(backup or redundant) near8 memory same failed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:26
-	16	(backup or redundant) near8 memory same failed near3 unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:32
-	73	(backup or redundant) same failed near3 units	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:36
-	13	((backup or redundant) same failed near3 units) and network.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:36
-	0	((backup or redundant) same failed near3 units) same take\$1over	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:36
-	146	(backup or redundant) same take\$1over	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:37
-	63	(backup or redundant) same configuration near5 failed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:39
-	0	fai\$3over same (signal or indication) near5 failed near3 unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:14

-	17	fail\$3over same (signal or indication) near5 failed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:14
-	0	fail\$3over same (signal or indication) near5 failed near3 id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:14
-	17	fail\$1over same (signal or indication) near5 failed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:19
-	6	fail\$1over same (signal or indication) near5 node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:26
-	19	fail\$1over same identif\$5 near3 failed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:26
-	5	("4601028"   "4631719"   "4675862"   "5440538"   "5515361").PN.	USPAT	2004/04/22 13:00
-	5	fault near3 tolerant same sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:41
-	0	fail\$1over same sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:42
-	110	redundant same sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:42
-	29	backup same sdh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:42
-	8	backup same sdh same fail\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:45
-	4	fail\$1over and recovery same new near3 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:48
-	11	recovery same new near3 configuration same (backup or redundant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 12:48
-	14	update with configuration near3 data with sequen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:17

-	1084	configuration near3 data with sequen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:17
-	123	(configuration near3 data with sequen\$6) with (sen\$4 or transfer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:18
-	1	((configuration near3 data with sequen\$6) with (sen\$4 or transfer\$3)) with consecutive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:18
-	7	(configuration near3 data with sequen\$6) with consecutive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/23 14:18
-	14	expan\$4 near5 network near3 nodes same advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:52
-	4497	add\$3 near3 nodes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:56
-	464	2.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:54
-	206	2.ab. and advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:55
-	3250	(add\$3 near3 nodes) and advantage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:55
-	517	add\$3 near3 network near2 nodes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:56
-	26	(add\$3 near3 network near2 nodes) same advantage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:02